AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A face recognition method for recognizing face portions in an image based on image data of the image, comprising:

a detection step of detecting, in the image, eye portions which have undergone a predetermined color change, based on the image data; ~~and~~

a recognition step of recognizing face portions in the image based on the eye portions detected in the detection step; and

an identification step of identifying an individual person being photographed based on the face portions recognized in the image.

2. (original) The face recognition method according to claim 1, wherein the detection step detects red-eye portions in the image.

3. (currently amended) A face recognition apparatus which recognizes face portions in an image based on image data of the image, comprising:

a detection section which detects, in the image, eyes which have undergone a predetermined color change, based on the image data; ~~and~~

a recognition section which recognizes face portions in the image based on the eyes detected by the detection section; and

an individual recognition section which identifies an individual person being

photographed based on the face portions recognized in the image.

4.   (currently amended) A face extraction method for extracting face portions from

an image and generating facial images based on image data of the image, comprising:

a detection step of detecting, in the image, eye portions which have undergone a

predetermined color change, based on the image data;

a recognition step of recognizing face portions in the photographic image based

on the eye portions detected in the detection step;

a correction step of correcting the color change in the eye portions detected in the

detection step; and

a face image generating step of generating facial images by extracting, from the

image, the face portions which have been recognized in the recognition step and whose color

change has been corrected in the correction step; and

an identification step of identifying an individual person being photographed

based on the generated facial images.

5.   (currently amended) A face extraction method for extracting face portions from

an image and generating facial images based on image data of the image, comprising:

a detection step of detecting red-eye portions in the image, based on the image

data;

a recognition step of recognizing face portions in the image based on the red-eye

portions detected in the detection step;

a correction step of correcting the red-eye portions detected in the detection step;

~~and~~

a face image generating step of generating facial images by extracting, from the image, the face portions which have been recognized in the recognition step and whose red-eye portions have been corrected in the correction step; and

an identification step of identifying an individual person being photographed based on the generated facial images.

6.   (currently amended): An image pickup apparatus which photographs a subject and generates photographic image data of a photographic image, comprising:

a detection section that detects, in the photographic image, eye portions which have undergone a predetermined color change, based on the image data;

a recognition section that recognizes face portions in the photographic image based on the eye portions detected by the detection section;

a correction section that corrects the color change in the eye portions detected by the detection section; ~~and~~

a face image generating section that generates facial images by extracting, from the photographic image, the face portions which have been recognized by the recognition section and whose color change has been corrected by the correction section;

an individual recognition section which identifies an individual person being photographed based on the generated facial images.

7.   (original) The image pickup apparatus according to claim 6, wherein the detection

section detects red-eye portions in the image and the correction section corrects the red-eye

portions detected by the detection section.

8.   (previously presented): The face recognition method according to claim 1,

wherein the detection step of detecting eye portions which have undergone a predetermined color

change includes comparing a pixel value of the image data with a reference pixel value which

corresponds to the predetermined color change.

9.   (previously presented): The face recognition method according to claim 8,

wherein the reference pixel value is a red reference value or a gold reference value.

10.   (previously presented): The face recognition method according to claim 1,

wherein the predetermined color change is a gold-eye occurrence.

11.   (previously presented): The face recognition apparatus according to claim 3,

wherein the detection section which detects eyes which have undergone a predetermined color

change, compares a pixel value of the image data with a reference pixel value which corresponds

to the predetermined color change.

12.   (previously presented): The face recognition apparatus according to claim 11,

wherein the reference pixel value is a red reference value or a gold reference value.

13.   (previously presented): The face recognition apparatus according to claim 3, wherein the predetermined color change is a gold-eye occurrence.

14.   (previously presented): The face extraction method according to claim 4, wherein the detection step of detecting eye portions which have undergone a predetermined color change includes comparing a pixel value of the image data with a reference pixel value which corresponds to the predetermined color change.

15.   (previously presented): The face extraction method according to claim 14, wherein the reference pixel value is a red reference value or a gold reference value.

16.   (previously presented): The face extraction method according to claim 4, wherein the predetermined color change is a gold-eye occurrence.

17.   (previously presented): The image pickup apparatus according to claim 6, wherein the detection section that detects eye portions which have undergone a predetermined color change, compares a pixel value of the image data with a reference pixel value which corresponds to the predetermined color change.

18.   (previously presented): The image pickup apparatus according to claim 17, wherein the reference pixel value is a red reference value or a gold reference value.

19.   (previously presented): The image pickup apparatus according to claim 6,

wherein the predetermined color change is a gold-eye occurrence.

20.   (new): The face recognition method according to claim 1, wherein the

identification step is performed only if the eye portions which have undergone the predetermined

color change are detected.

21.   (new): The face recognition method according to claim 20, wherein the

identification step includes:

searching for face images stored in a storage section that match the recognized face

portions; and

acquiring identification information stored in the storage section which is associated with

a matched face image.

22.   (new): The face recognition method according to claim 1, wherein the

identification step is performed based on a result of the detection step, in which the eye portions

which have undergone the predetermined color change are detected.

23.   (new): The face recognition method according to claim 22, wherein the

identification step is performed only if the predetermined color change is detected.

24.   (new): The face recognition method according to claim 1, wherein the individual

person is identified according to unique identification information which corresponds to the

individual person.